

PET DRYER



www.ptacis.com



New Dog Dryer

CE



LT-GN

Intelligent touch screen control dryer



LT-AN

Stepless speed regulation



LT-L

Stepless speed regulation



LT-LI

Two-speed regulation



New digital dog dryer

The hair dryer is equipped with an intelligent touch screen control system, making operation much easier. In order for your beloved pet to adapt to the wind speed, there are three automatic acceleration modes, which reach the highest wind speed in 1-3-6 minutes starting from the lowest wind speed. You can also manually adjust the wind speed.



New dog dryer

The same exterior mold has been used with traditional buttons. It features stepless wind speed control and two levels of temperature adjustment.



LT-M

Stepless speed regulation



LT-MI

Two-speed regulation



The new dryer has improved internal structure, optimized air intake channels, and further reduced noise.

New Dog Dryer

CE



LT-S

Stepless speed regulation

A blow dryer designed specifically for cats, with a reduced machine size and significantly lowered noise levels. It is more suitable for drying cats.



LT-1060A

Stepless speed regulation



LT-X

Stepless speed regulation



LT-XI

Two-speed regulation



LT-K

When used in conjunction with a blow dryer, it can achieve fully automatic drying with rapid internal circulation. An ideal pet drying box. With it, you no longer have to worry about pet hair flying around, water splashing, or catching your pet everywhere.



LT-P

Stepless speed regulation



LT-PI

Two-speed regulation



The new dryer has improved internal structure, optimized air intake channels, and further reduced noise.



Pet Dryer

LT-1090



LT-1090A



LT-1090-1



Main Features

- The LT-1090 Dryer is a basic product with adjustable hose and 3 air outlets of different functions.
- It has 2-step wind speed and 2-step heating temperature control.
- The basic wind speed is 35m/s, reaching over 50m/s at its highest.
- The wind impact can be as strong as 540g or higher at the air outlet at its highest wind speed.
- When heating is off, the air outlet temperature will be 15-20°C above ambient. When turned on, it will be 25-45°C higher.
- The machine has a specially designed air duct that keeps the noise below 80db, which is 8-15db quieter than similar products.
- The machine-hose connection is designed for easy installation and detachment, with protection against scalding.

Main Features

- The LT-1090A Pet Dryer is a classic product with adjustable wind speed and temperature.
- It has 3 air outlets with stepless wind speed control and 2-step heating temperature.
- Wind speeds range from 15m/s to over 50m/s with a max impact of 540g.
- The air outlet temperature is 15-20°C higher than the surroundings when the heating switch is off, and 25-45°C higher when on.
- The machine and hose are designed for efficient attachment and detachment with scald protection.



Main Features

The LT-1090-1 Pet Dryer is a basic model with:

- 2-step wind speed
- 2-step electrical heating function
- Retractable hose
- 3 types of air outlets Wind speeds reach up to 50m/s with max impact of 540g. Heating function increases temp by 20-45°C. Noise level is 80db max.
- Quick disassemble function and handle to prevent scalding.

The LT-1090-8 & LT-1090-16 models have added ozone generator to:

- Improve pet health
- Eliminate odor

These dryers use a modern design, have safe and reliable electronic circuits, and are suitable for pet grooming.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090A	2200	38x16x24	41x27x27	57x42x59	20	880	1800

CE

Pet Dryer

CE

LT-1090-8/16

LT-1090-1C/8C/16C



LT-1090-8/LT-1090-16



LT-1090-1C



LT-1090-8C / LT-1090-16C

LT-1090B-1



Main Features

- The plugs of LT-1090-1, LT-1090-8, and LT-1090-16 are detachable, making replacement convenient in case of breakage.
- The plugs of LT-1090-1C, LT-1090-8C, and LT-1090-16C are inseparable, offering a classic and more reliable option.



Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090-1	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090-8	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090-16	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090-1C	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090-8C	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090-16C	2200	38x16x24	41x27x27	57x42x59	20	880	1800

Main Features

- LT-1090B-1 Pet Dryer features adjustable wind speed and 2-step electrical heating.
- It includes a retractable hose and 3 air outlet options, with a low wind speed of 15m/s and a high of 50m/s.
- The maximum wind impact is 540g.
- The air outlet temperature is 15-20°C above ambient temperature when heating is off, and 25°C-45°C higher when heating is on.
- The dryer has a unique design with low noise level (80db) compared to others.
- The hose connection can be quickly disassembled and the handle prevents scalding.
- LT-1090B-8 and LT-1090B-16 models have an added ozone generator for a healthier environment.
- The pet dryer is designed with modern technology and a reliable circuit.





Pet Dryer

CE

LT-1090B-8/16

LT-1090B-1C/8C/16C

LT-1090A - 6

LT-1090B



LT-1090B-8/LT-1090B-16



LT-1090B-1C



LT-1090B-8C / LT-1090B-16C



Main Features

- The LT-1090A-6 Pet Dryer is an improved classic product.
- Features adjustable wind speed (15m/s - 54m/s) and temperature with 2 steps.
- Comes with a flexible hose and 3 air outlets with different functions.
- Wind impact up to 580g at highest wind speed.
- 15-45°C temperature increase (depending on switch setting) at air outlet.
- Low noise design (78db max) compared to similar products.
- Easy hose connection and secure hose holder with scald protection.



Main Features

- The plugs of LT-1090B-1, LT-1090B-8, and LT-1090B-16 can be detached and easily replaced if broken.
- The LT-1090B-1C, LT-1090B-8C, and LT-1090B-16C have inseparable plugs for a classic, more durable design.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090B-1	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090B-8	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090B-16	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090B-1C	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090B-8C	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090B-16C	2200	38x16x24	41x27x27	57x42x59	20	880	1800

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090A-6	2200	38x16x24	41x27x27	57x42x59	20	880	1800
Pet Dryer	LT-1090B	2400	38x16x24	41x27x27	57x42x59	20	880	1800

Pet Dryer



LT-1090D



LT-1090D-1



LT-1090C-H



Main Features

The LT-1090D Pet Dryer:

- Classic double-motor design
- Both models feature:
 - Stepless wind speed adjustment
 - Range of wind speed from gentle to strong
 - Adjustable hose and 3 air outlets
 - Wind speed up to 100m/s
 - Wind impact of 1040g or higher (D model) or higher than 1100g (D-1 model)
 - Air outlet temperature 15-20°C higher than surroundings
 - Low noise level (below 82db) due to specially designed air duct
 - Hose easily attaches/detaches from machine.

Main Features

The LT-1090D-1 Pet Dryer:

- Classic design with higher power
- Both models feature:
 - Stepless wind speed adjustment
 - Range of wind speed from gentle to strong
 - Adjustable hose and 3 air outlets
 - Wind speed up to 100m/s
 - Wind impact of 1040g or higher (D model) or higher than 1100g (D-1 model)
 - Air outlet temperature 15-20°C higher than surroundings
 - Low noise level (below 82db) due to specially designed air duct
 - Hose easily attaches/detaches from machine.

Main Features

- The LT 1090C-H Pet Dryer is a innovative pet dryer with a double motor and unique features.
- This pet dryer has 4 wind speed levels and a 2-step heating switch, with a unique heating function. The independent electrical heating technology enables all-season use, keeping pets warm in winter. It's more efficient in usage.
- Adjustable Hose and 3 Air Outlets: The LT 1090C-H Pet Dryer has an adjustable hose and 3 different-sized air outlets.
- Wind Speed Range: With a wind speed range from 35m/s to over 100m/s, the product offers a powerful drying experience for pets.
- Strong Wind Impact: The highest wind speed can reach a wind impact of up to 1040g at the air outlets.
- Temperature Control: The air outlet temperature is 15-20°C higher than the surroundings when the electrical heating switch is off, and 25-45°C higher when it's on.
- Quiet Operation: The machine has a special air duct, resulting in a noise level below 82db, 10db quieter than similar products.
- Easy Connection: The connection of the machine and hose is efficient, with protection to prevent scalding.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090D	2500	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090D-1	2800	41x32x27	44x38x28	79x46x60	30	580	1200

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090C-H	3300	41x32x27	44x38x28	79x46x60	30	580	1200



Pet Dryer

LT-1090D-H



LT-1090CE



Main Features



- The LT-1090D-H Pet Dryer is a double-motor pet dryer with heating switch functions, making it an original creation in the industry.
- The dryer offers a big technological improvement with stepless wind speed adjustment and 2-step independent switch heating, expanding its wind speed range from gentle breeze to strong wind.
- The heating function is unseen in previous double-motor pet dryers, making the machine more efficient and usable in different seasons.
- The dryer is equipped with an adjustable hose and 3 air outlets of different sizes, with wind speeds ranging from 20m/s to 100m/s or more.
- The air outlet temperature is around 15 ~ 20°C higher than the surrounding environment, rising to 25 ~ 45°C with the heating switch on.
- A specially-designed air duct keeps noise below 82db, making it quieter than similar products.
- The machine and hose connection is designed for easy installation and detachment, with protection against scalding when holding the hose.

Main Features



- The LT-1090CE Pet Dryer is a basic dual motor product.
- It has 4-step wind speed, a retractable hose, and 3 air outlets.
- The basic wind speed is 35m/s, with the highest exceeding 100m/s.
- The highest wind impact is 1040g.
- Dual-motor rotation leads to thermal energy of 15-20°C higher than ambient temperature.
- The machine's air duct structure results in a maximum noise of 82db, 10db quieter than similar products.
- The hose can be efficiently attached and detached.
- The handle is used to hold the hose and prevent scalding.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090D-H	3300	41x32x27	44x38x28	79x46x60	30	580	1200

Pet Dryer



LT-1090CE-8

LT-1090CE-16



LT-1090DF



Main Features



- The LT-1090CE-8/LT-1090CE-16 Pet Dryer has an added ozone generator, providing better protection against parasites and pathogens, promoting a healthier environment for pets.
- The dryer helps treat skin diseases and improves the overall hygiene of the workplace by eliminating odors, killing bacteria, and disinfecting the surrounding area.
- The LT-1090CE-8/LT-1090CE-16 Pet Dryer features modern design, stable performance, and a safe and reliable electronic circuit.

Main Features



- The LT-1090DF Pet Dryer is a double-motor product with a CVT function for wind speed control.
- It has a retractable hose and three air outlets to meet various pet breed demands.
- Wind speed ranges from 18m/s to over 100m/s with a wind impact of up to 1040g.
- Dual motor rotation results in thermal energy 15-20°C higher at the air outlet.
- The machine has a low noise level of 82db, 10db lower than similar products.
- The machine and hose have a special design for efficient installation and detachment.
- The handle on the hose prevents scalding during use.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090CE	2500	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090CE-8	2500	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090CE-16	2500	41x32x27	44x38x28	79x46x60	30	580	1200



Pet Dryer

CE

LT-1090DF-8

LT-1090DF-16



LT-1090CG



Main Features



- The LT-1090DF-8/LT-1090DF-16 Pet Dryer has added benefits over the LT-1090DF model, including an ozone generator. This helps prevent pet infections and creates a more comfortable, healthy environment. The dryer also treats skin diseases and eliminates odors, bacteria, and disinfects the surrounding area.
- This pet dryer boasts a modern design with a popular assembly structure, advanced technology, stable processes, and a reliable electronic circuit distribution for safety.



Main Features

- LT-1090CG Pet Dryer: a unique, double-motor pet dryer with new features.
- Features: 4-step wind speed, 2-step independent electrical heating, efficient use in all seasons.
- Equipped with: retractable hose, 3 air outlets, low wind speed of 35m/s and high wind speed exceeding 100m/s, strong wind impact of 1040g.
- During operation: dual-motor rotation, temperature at air outlet 15-20°C higher than ambient, up to 25-45°C higher with electrical heating.
- Special design: air duct structure for maximum noise of 82db, lower than other products by 10db.
- Hose connection: designed for efficient installation and detachment.
- Handle for hose: prevents scalding.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090DF	3300	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090DF-8	3300	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090DF-16	3300	41x32x27	44x38x28	79x46x60	30	580	1200

Pet Dryer



LT-1090CG-8

LT-1090CG-16



Main Features



- Features an ozone generator to prevent pets from parasites and pathogens.
- Improves pet skin health and aids in rehabilitation.
- Eliminates odors and kills harmful bacteria.
- Provides a fresh, healthy, and disinfected environment.
- Modern design with stable process and safe electronic circuit.

LT-1090DH



Main Features



- The LT-1090DH Pet Dryer is a new double-motor pet dryer with advanced features.
- The dryer has stepless wind speed adjustment and 2-step independent electrical heating, expanding the adjustment range from gentle breeze to strong wind.
- The product features unique electrical heating and can be used in different seasons, making it more efficient.
- The dryer has a retractable hose and 3 types of air outlets, with a wind speed range of 20m/s to 100m/s or above.
- The air outlets have a strong wind impact of 1040g or above at highest speed.
- The air outlet temperature is 15-20°C higher than surroundings when in normal operation, and 25-45°C higher with electrical heating turned on.
- The dryer has a specially designed air duct structure, resulting in maximum noise of 82db, 10db lower than similar products.
- The connection between the dryer and hose is designed for easy installation and detachment.
- The handle is provided for holding the hose and preventing scalding.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090CG	3300	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090CG-8	3300	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090CG-16	3300	41x32x27	44x38x28	79x46x60	30	580	1200



Pet Dryer

LT-1090DH-8

LT-1090DH-16



Main Features

● Introducing the 1090DH-8/LT-1090DH-16 Pet Dryer - equipped with all the features of the LT.1090DH model and an additional ozone generator. This powerful feature significantly reduces the risk of parasites and other pathogens, creating a more comfortable and healthy environment for pets. It can even aid in the treatment of various skin diseases and promote rehabilitation. Furthermore, the ozone generator improves workplace functionality by eliminating unpleasant odors.

killing harmful bacteria, and ensuring a fresh and healthy environment. Disinfecting the surrounding environment has never been easier.
● The LT-1090DH / LT-1090DH-8/LT-1090DH-16 Pet Dryer boasts a modern, popular assembly structure design that is both advanced and stable. Its reasonable structure and electronic circuit distribution ensure safety and reliability. In fact, its design is so innovative that it has been granted Patent No.: 2014206113734.2.

LT-1090C



LT-1090C-1



Main Features

- LT-1090C Pet Dryer is a double-motor product with basic features, while LT 1090C-1 Dryer has more power.
- Both have 4-step wind speed adjustment, adjustable hose, and 3 air outlets.
- The basic wind speed is 35m/s and can reach up to 100m/s or higher.
- The C-1 model can produce wind impact of 1040g or more at maximum speed, while the basic model is stronger with 1100g or higher.
- The air outlet temperature is 15 to 20°C higher than the surrounding environment during normal operation.
- The machine's largest noise is below 82db, 10db lower than other similar products, thanks to its special air duct design.
- The machine and hose connection is designed for easy installation and detachment of the hose.

Main Features

The LT-1090C-1 Pet Dryer:

- Classic design with higher power
- Both models feature:
 - Range of wind speed from gentle to strong
 - Adjustable hose and 3 air outlets
 - Wind speed up to 100m/s
 - Wind impact of 1040g or higher (C model) or higher than 1100g (C-1 model)
 - Air outlet temperature 15-20°C higher than surroundings
 - Low noise level (below 82db) due to specially designed air duct
 - Hose easily attaches/detaches from machine.

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090DH	3300	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090DH-8	3300	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090DH-16	3300	41x32x27	44x38x28	79x46x60	30	580	1200

Item	Model	Power/W	Standard Size IPC/CM	Packing Size IPC/CM	Packing Size 4PCS/CM	G.W. 4PCS/KG	20FT/PCS	40FT/PCS
Pet Dryer	LT-1090C	2500	41x32x27	44x38x28	79x46x60	30	580	1200
Pet Dryer	LT-1090C-1	2800	41x32x27	44x38x28	79x46x60	30	580	1200

Brushless DC Motor Dog Dryer



LT-1090N

Main Features

- There are two styles available: one is a freestanding model, and the other is a wall-mounted model.
- The LT-1090N is brushless pet grooming tools. The constant, precise, and controllable airflow and temperature are more beneficial for styling the hair of dogs and other pets, especially in professional beauty salons. The maximum air volume is 260 CFM and peak power is 2000W.
- The LT-1090N can eliminate static electricity and protect pet hair. It helps to maintain moisture in the internal cuticle layer, minimizes damage to the hair scales, and helps to tame stubborn and curly hair, making the hair softer and more beautiful.
- The DC brushless motor does not produce harmful carbon dust and does not require maintenance. The high-precision brushless motor is more reliable and has a longer lifespan (≥ 6000 hours). The noise level is ≤ 62 decibels.
- Adjustable height: the stand height can be adjusted from 43"-60", providing a perfect height so that you don't have to bend over. ② Adjustable angle: the stand can rotate horizontally 360°, and can also be adjusted from 90° upward angle to 90° downward angle. You can move the stand to the desired position and lock it in place.



New Double-Motor Dog Dryer



LT-W



Main Features

- Compared to a handheld hair dryer, our hair dryer reduces drying time by over 70%, saving you valuable time.
- This dryer provides significant technological improvements through stepless wind speed regulation and two-step independent heating, expanding the wind speed range from a gentle breeze to a strong wind.
- The heating function is not found in previous dual-motor pet dryers, making the machine more efficient and practical in different seasons.
- The dryer comes with an adjustable hose and three different sizes of air outlets.
- It is a dual-motor pet hair dryer designed for large dogs.



ARM

LT-1501
LT-1501-1
LT-1501-2
LT-1501-3




Main Features

- The LT-1501 extension duct components enhance the functions of pet dryers.
- They are compatible with all single motor pet dryers.
- The extension duct allows for multi-functional pet hair drying, straightening, and styling at a lower cost than a large pet dryer.
- LT-1501 is made of stainless steel.
- LT-1501-1, LT-1501-2, and LT-1501-3 are made of PVC.



ARM & Grooming Tool Rack

LT-1503
LT-1504
LT-1506



Main Features

LT-1503 Pet Dryer Mounting:

- Composed of chrome plated hose, stainless spring, and mounting.
- For use with connecting fixtures, compatible with double tube or single-tube pet dryers.
- Stabilizes pet dryer position for easier grooming.
- Specially designed hose is easy to position and supports weight without drooping.
- A practical tool for pet grooming.

LT-1504 Auxiliary Hose Support:

- Composed of chrome plated hose, stainless fixture, and stainless fixtures for air outlet tube.
- For use with connecting fixtures, compatible with pet dryers.
- Provides stability during pet hair drying.
- Specially designed hose is easy to position and supports weight without drooping.
- A practical tool for pet grooming.

Main Features

- LT-1506 grooming tool rack body made of high intensity ABS engineering plastics and cover made of high polymer PC materials.
- Can be used with various suspender stands and can be rotated and elevated. Cover can be opened and closed.
- Can store up to 7 scissors and electric scissors in holes. Cupboard can be used for combs, brushes, and electric clipper blades.
- Convenient for taking and placing grooming tools.
- T-1506 Model is a new and practical support tool for pet grooming.

Wall-mount Pedestal

LT-1505A
LT-1505C



Main Features

- The LT-1505A and LT-1505C wall-mount pedestals can securely fix pet dryers to the wall, saving studio space and making it easy to access the dryers.
- The LT-1505A is compatible with all single-motor pet dryers.
- The LT-1505C is compatible with all double-motor pet dryers.

CE Dryer Stand

LT-1091A
LT-1091C



Pet Dryer Stand:

- Adjustable height stand with omni-directional wheels.
- Frame can rotate in all directions with 120° angle.
- Includes a hook for pet dryer hose storage.
- Easy and tool-free installation/detachment.
- LT-1091A Model fits single-motor pet dryers.
- LT-1091C Model fits double-motor pet dryers.

Item	Model	Standard Size/CM	Packing Size IPC/CM	Packing G.W. IPC/KG	20FT/PCS
Wall-mount Pedestal	LT-1505A	26X21.5X5	30X24X8	2.0	5100
Wall-mount Pedestal	LT-1505C	36X28.5X6.5	40X32X10	3.3	2300

Item	Model	Standard Size/CM	Packing Size IPC/CM	Packing G.W. IPC/KG	20FT/PCS	40FT/PCS
Single Motor Dryer Stand	LT-1091A	60X60X91-118	66X23X16	6.5	620	1360
Double Motor Dryer Stand	LT-1091C	72X72X91-118	74X25X14	8.2	450	990