

PET GROOMING TABLE

ACIS


www.ptacis.com

Steel Foldable Grooming Table



Steel Foldable Grooming table
Non-slip rubber matting, scraping
resistant and easy to clean; Aluminium
alloy edging, resisting scratches and
hauls; Plastic spraying on the surface
of the steel legs. Different colors are
available.

Static-free board,easy to clean the
eliminate hair and debris. Featured
design support brackets,available for
heavy weight. Foldable and samll
package are easy for delivery and
storage.



Rubber edge

Main Features

- The grooming table has a rubber and plastic composite material that is anti-slippery, wear-resistant, anti-static, and easy to clean.
- The table board is made of high-pressure, high-density board that is moisture and deformation resistant.
- The rims of the table are wrapped in aluminum alloy for added beauty and durability.
- The suite fixtures are made of monolithic molded nylon and stainless steel and are rustproof, durable, and convenient.
- The 2-section suspenders are made of rustproof stainless steel and can be easily extended with a plastic binding chain or a nylon binding band.
- The table legs are made of circular steel pipes with a 2.5cm diameter, finished with high-temperature and electrostatic spray.




Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W. /KG	20FT/PCS	40 FT/PCS	40HQ/PCS
Folding table	LT-100H	120x60x66	123x63x11	21.5	360	750	880
Folding table	LT-100	120x60x66	123x63x11	20	360	750	880

Steel Foldable Grooming Table



Steel Foldable Grooming table

- Non-slip rubber matting, scraping resistant and easy to clean;
- Aluminium alloy edging, resisting scratches and hauls;
- Plastic spraying on the surface of the steel legs. Different colors are available.
- Static-free board, easy to clean the eliminate hair and debris.
- Featured design support brackets, available for heavy weight.
- Foldable and samll package are easy for delivery and storage.



Rubber edge



One model has four sizes

Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W. /KG	20FT/PCS	40 FT/PCS	40HQ/PCS
Folding table	LT-101L	90x51x78	93x54x11	14.2	480	980	1100
Folding table	LT-101	86x51x78	89x54x11	12.2	650	1200	1400
Folding table	LT-102	81x51x78	84x54x11	11.8	740	1300	1500
Folding table	LT-103	76x46x78	79x49x11	11.8	740	1480	1700

ABS top Portable Grooming table



Main Features

New Foldable ABS Table:

- Table size: 68 x 46 x 76 cm
- Table top: Made of lightweight ABS material, available in blue, pink, and white. Weighs only 3.5 kgs.

Stainless Steel Legs:

- Model LI-105A, made of stainless steel for durability.

Foldable Steel Pipe Legs:

- Model LT-105B, foldable with a sprayed finish in black or white.

Arm Rest:

- Made of stainless steel for added comfort.

Convenient Size:

- Easy to store and transport due to its small size.



Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W./KG	20FT/PCS	40FT/PCS
PVC competition table	LT-105A	68×46×76	71×50×16	3.5	526	1140
PVC competition table	LT-105B	68×46×76	71×50×16	3.5	526	1140


Stainless Steel Portable Grooming table



LT-106A



LT-106B



Rubber edge




Main Features

- The table features a rubber-plastic composite material for skid-resistance, wear-resistance, static-free and easy-to-clean performance.
- The high-pressure, high-density board construction prevents moisture damage and warping.
- The table is trimmed with an aluminum alloy rim for a sleek, durable look.
- The legs are made of 2.5cm equilateral stainless steel pipes or steel pine, with adjustable screws at the bottom for extra stability.
- Available leg options include the LT-106A stainless steel leg and the foldable, spray-painted LT 106B leg in black or white.
- The table can be easily folded for storage and portability.

Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W./KG	20FT/PCS	40FT/PCS
Adjustable Competition Table	LT-106A	72×46× (78-84)	95×49×10	9.2	680	1400
Adjustable Competition Table	LT-106B	72×46× (78-84)	95×49×10	9.5	680	1400

ABS Top Portable Grooming Table



LT-109

Main Features

- New Light ABS Foldable Table
- Table Dimensions: 97 x 55 x 76 cm
- Table Top: Lightweight ABS Material, Foldable in Blue, Pink, or White
- Table Legs: Foldable Steel Pipe with Spray Coating in Black or White
- Stainless Steel Arm Included
- Compact Design, Easy to Store and Transport
- Maximum Capacity: 50 kgs




Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W./KG	20FT/PCS	40FT/PCS
Pet Grooming Table	LT-109	97×55×76	58×55×10	10	450	980

Stainless Steel Grooming table



Main Features

- The grooming table features a rubber and plastic composite material that is anti-slippery, wear-resistant, anti-static, and easy to wash.
- The table board is made of high-pressure, high-density board to prevent moisture and deformation.
- The rims of the table are wrapped in aluminum alloy for durability and a beautiful appearance.
- The fixtures are monolithic molded steel for strength and durability.
- The 2-section suspenders are made of stainless steel to prevent rust and have adjustable length. The product is versatile with options for plastic binding chains or nylon binding bands.
- The net basket for object placement is made of steel wire with high-temperature and electrostatic spray for durability and practicality.
- The table legs are made of 3.2cm diameter circular steel pipe.
- The table can be folded for convenient storage when not in use.




Rubber edge

Stainless Steel Grooming table



Stainless Steel Grooming table

- Slip-proof rubber mat, scraping resistant and easy to clean; Aluminium alloy edging, resisting scratches and hauls;
- Strong stainless steel leg and reinforced rubber caps make the table ultra high stabilization. Static-free board,easy to clean the eliminate hair and debris.
- Foldable and samll package are easy for delivery and storage.



Rubber edge

Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W./KG	20FT/PCS	40FT/PCS	40HQ/PCS
Stainless Steel folding table	LT-1101H	120×60×66	123×63×15.5	21.5	240	526	600
Stainless Steel folding table	LT-1101	120×60×66	123×63×15.5	19	240	526	600
Stainless Steel folding table	LT-1102	90×60×76	93×63×15.5	15.2	322	700	800
Stainless Steel folding table	LT-1103	81×51×76	84×54×15.5	13	414	900	1020

Wheeled Foldable Pet Grooming Table




LT-1107



Rubber edge



LT-1107L



Rubber edge



Main Features

- The table is made of rubber-plastic composite materials for skid-resistance, wear-resistance, static-free and easy cleaning.
- The table board is made of high-pressure and high-density board, resistant to moisture and deformation.
- The table edges are wrapped in aluminum alloy for durability and a touch of style.
- The stainless steel fixture is molded for strength and solidity.
- The two-section suspenders made of stainless steel are stain-resistant and easily adjustable, with plastic and nylon binding for versatility.
- The table leg of the LT-1107L/LT-1107, MZ910 models is made of 3.2cm equilateral steel pipes with a rubber base for added stability.
- With 22cm diameter wheels and a 6.5cm width, the table is equipped with a pull rod and steering component for easy transportation. The cargo hook allows for loading or door-to-door service.
- The LT-1107L is 110cm x 60cm x 78cm. The LT-107 is 91cm x 60cm x 78cm.
- The table is foldable for convenient storage.

Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W./KG	20FT/PCS	40FT/PCS	40HQ/PCS
Wheeled Foldable Table	LT-1107L	110×60×84	115×65×27	28.5	150	310	360
Wheeled Foldable Table	LT-1107	94×63×26	94×63×27	27.5	196	420	450


Height Adjustable Pet Competition Table



LT-1108LH



**LT-1108L
LT-1108**



Rubber edge

Main Features

- The table is made of rubber-plastic composite material, which provides skid-resistant, wear-resistant, static-free and easy-to-wash surfaces.
- The high-pressure, high-density board construction of the table prevents moisture damage and deformation.
- The table's rims are wrapped with aluminum alloy sections, adding durability and aesthetic appeal.
- The steel monolithic molding of the fixtures make them strong, solid, and long-lasting.
- Stainless steel two-section suspenders are stain-resistant and easily adjustable for various applications.
- Table legs on MZ1201H, MZ120J, and MZ91 models can be adjusted up to 27CM in length.
- A rubber case is added to the bottom for extra stability.
- MZ120JH model is equipped with a stainless gantry suspender and two fixtures, suitable for medium and large pets.
- MZ120JH and MZ1201 tables measure 120CM in length, 60CM in width, and have adjustable heights of 64CM, 73CM, 82CM, and 91CM.
- The table is easily foldable for storage.

Item	Model	Unfolding dimension/CM	Packing Size/CM	G.W./KG	20FT/PCS	40GP/PCS	40HQ/PCS
Height Adjustable Foldable Table	LT-1108LH	120×60×64-91	123×64×12	21.9	316	660	760
Height Adjustable Foldable Table	LT-1108L	120×60×64-91	123×64×12	20.4	316	660	760
Height Adjustable Foldable Table	LT-1108	91×60×64-91	94×64×12	17.5	316	840	1000

Hydraulic Lifting Grooming Table



LT-1118A

LT-1118B

Main Features

- The LT-1218 grooming table features a classic design and practical functions. Desktop that can rotate 360 degrees.
- The table is made of rubber-plastic composite materials, making it skid-resistant, wear-resistant, static-free, and easy to clean.
- The tabletop is constructed with high-pressure, high-density board to prevent moisture damage and deformation.
- The table rims are wrapped in rubber for added durability and aesthetic appeal.
- Using pneumatic lift, the adjustable desk height ranges from 68-97CM and provides strong lifting power.
- The stainless fixture is molded as a single piece from nylon, making it light, strong, and durable.
- The two-section stainless steel suspenders are resistant to stains and easily adjustable.



Item	Model	Standard Size IPC/CM	Packing Size IPC/CM	NW.	GW.
Hydraulic Lifting Grooming Table	LT-1218A	Φ60x68~97	67X62X20	15kg	16.5kg
Hydraulic Lifting Grooming Table	LT-1218B	60x40x68~97	62X42X20	14.5kg	16kg

Hydraulic Grooming Table

Hydraulic Grooming Table

New air-lift 24 inch round table with improved installation method, reducing installation time by 50%. Available with round or square tabletop; optional wheels.



Size (cm)

60 x 70 - 99

LT-1218C

Electric Lifting Grooming Table

Electric Lifting Grooming Table

The table rims are wrapped in rubber for added durability and aesthetic appeal. Using pneumatic lift, the adjustable desk height ranges from 68-101CM and provides strong lifting power. The stainless fixture is molded as a single piece from nylon, making it light, strong, and durable. The two-section stainless steel suspenders are resistant to stains and easily adjustable.



Size (cm)

60 x 60 - 99

LT-1218E

Hydraulic Lifting Grooming Table



Main Features

- The LT-1301 grooming table series features a classic design and practical functions.
- The table is made of rubber-plastic composite materials, making it skid-resistant, wear-resistant, static-free, and easy to clean.
- The tabletop is constructed with high-pressure, high-density board to prevent moisture damage and deformation.
- The table rims are wrapped in aluminum alloy for added durability and aesthetic appeal.
- The stainless steel fixture is molded into one piece for strength and rust-resistance.
- The two-section stainless steel suspenders are rust-resistant and easily adjustable.
- The hydraulic pump allows for height adjustment up to 48CM for user comfort.
- The base is made of steel with a length of 85CM and a width of 50CM, coated in static and high-temperature spray for stability.
- The bottom of the base has adjustment screws for added stability.
- The LT-1301H model includes stainless gantry suspenders.



Rubber edge

Item	Model	Standard Size IPC/CM	Packing Size IPC/CM	20FT/PCS	40FT/PCS
Hydraulic Lifting Grooming Table	LT-1301H	110X60X55-105	115X65X66	54	144
Hydraulic Lifting Grooming Table	LT-1301	110X60X55-105	115X65X66	54	144
Hydraulic Lifting Grooming Table	LT-1302	100X60X55-105	105X65X66	63	160
Hydraulic Lifting Grooming Table	LT-1303	90X60X55-105	95X65X66	63	160

Hydraulic Grooming Table



Main Features

- Rubber-plastic composite material is skid-resistant, wear-resistant, static-free, and easy to clean
- High-pressure, high-density board prevents moisture and deformity
- Rims wrapped in aluminum alloy for durability and style
- Stainless steel fixture is strong, stainless, and durable
- Stainless steel two-section suspenders are rust-resistant and adjustable
- Hydraulic leverage lifting device for height adjustment up to 42CM
- Steel structure base is 88CM in length and 57CM in width with a static and high-temperature spray surface for sturdiness and stability
- Equipped with stainless gantry suspender.



Rubber edge

Item	Model	Standard Size IPC/CM	Packing Size IPC/CM	20FT/PCS	40FT/PCS
Hydraulic Lifting Grooming Table	LT-1321H	110X60X55-97	115X65X66	54	144
Hydraulic Lifting Grooming Table	LT-1321	110X60X55-97	115X65X66	54	144
Hydraulic Lifting Grooming Table	LT-1322	100X60X55-97	105X65X66	63	160
Hydraulic Lifting Grooming Table	LT-1323	90X60X55-97	95X65X66	63	160

Electric inclined-strut Grooming Table



LT-1405SH



LT-1405SHV



LT-1405E

Electric inclined-strut Grooming Table

- High density table board with slip-proof rubber mat. Outstanding quality of electric putter, continuously used for 10,000 times;
- Unique "x" shape design eliminates wobbling and tipping; Aluminium alloy edging, resisting scratches and hauls;
- Supply super lower height 28cm and highest height 105cm. Different height range for choice. Removable desktop and easy to clean. convenient grooming for several pets at the same time with H type arm.

Size (cm)

120 x 60 x 26 - 105 height adjustable

Electric inclined-strut Grooming Table

- High density table board with slip-proof rubber mat. Outstanding quality of electric putter, continuously used for 10,000 times;
- Unique "x" shape design eliminates wobbling and tipping; Aluminium alloy edging, resisting scratches and hauls;
- Supply super lower height 28cm and highest height 105cm. Different height range for choice. Removable desktop and easy to clean. convenient grooming for several pets at the same time with H type arm.

Size (cm)

120 x 60 x 26 - 105 height adjustable

Electric inclined-strut Grooming Table

- High density table board with slip-proof rubber mat. Outstanding quality of electric putter, continuously used for 10,000 times;
- Unique "x" shape design eliminates wobbling and tipping;
- Upgraded basic model of electric height-adjustable table with a removable-top for thorough cleaning and disinfection. The table can be used on both sides and comes in different colors.

Size (cm)

120 x 60 x 26 - 105 height adjustable

Full-featured electric grooming table

With upgraded structure. More suitable for medium to large dogs; sturdier, safer, and more durable.



LT-1408H

Size (cm)
125 x 64.6 x (26 - 104)



1. The desktop is a 1.8CM density board. The blue anti-slip rubber pad is a pagoda type anti-slip and anti-static rubber. Non-slip texture design, light and durable.



2. The desktop height is driven by motor.



3. Foot control, height can be adjusted according to need, saving time and effort.



4. The boom is 201 stainless steel H type, adjustable height, wall thickness of 1.0mm.



5. The boom is equipped with 2 braided ropes to facilitate the fixing of pets, and its length is 50cm



6. Base by 30*50mm thickness of 1.2 carbon steel pipe welded forming, slash support design and electrostatic spray combined, beautiful and durable process.



7. (Optional) Equipped with multi-functional socket, storage box, hook, convenient and practical.



Grooming table with integrated non-slip coating



LT-G01

Key Features :

- Non-Slip Surface: Equipped with a specialized anti-slip coating to ensure pets remain stable and secure, even when the surface is wet.
- Guaranteed Hygiene: The tabletop material is designed for easy cleaning and is resistant to bacteria, odors, and stains.
- Dual Overhead Grooming Arm: Features a heavy-duty overhead bar with 4 attachment points (leashes) to keep pets safely positioned and calm during the grooming process.
- Ergonomic Design: The uniquely contoured tabletop allows groomers to stand closer to the pet, reducing strain and improving accessibility.

Size (cm)

100 x 100 x (26 - 104)

Grooming Table with Z-structure




LT-Z10

Key Features

- Versatile Z-Structure: The Z-frame design provides exceptional stability and smooth electric up-and-down movement.
- Flip-Top System: The tabletop features a flip-top design for thorough cleaning and disinfection, ensuring a highly hygienic workspace.
- Double-Sided Surface: The table is usable on both sides with different color options, offering both aesthetic flexibility and functional variety.
- Electric Height Adjustment: Allows for precise height control to ensure the groomer's comfort and optimal working posture.

Size (cm)
125 x 60 x (29 - 101)

Rotatable Oval Top Pet Grooming Table



Rubber edge



Lock



Main Features

- The table features a skid-resistant, wear-resistant, static-free, and washable rubber-plastic composite material.
- The high-pressure, high-density board prevents moisture damage and warping.
- Aluminum alloy sections enhance the table's durability and appearance.
- The stainless steel chassis and bearing structure ensure long-lasting performance and easy maintenance.

- Adjustable stainless suspenders and binding belts provide stability and support.
- Designed for small pets, the table is easy to move with a low height.
- LT-1508A has a diameter of 65CM.
- LT-1508B has a diameter of 55CM.
- LT-1508C has a diameter of 50CM.